$\tt CGGACGCGTGGGACCCATACTTGCTGGTCTGATCC{\color{red} \underline{\textbf{ATG}}} CACAAGGCGGGGCTGCTAGGCCTC$ TGTGCCCGGGCTTGGAATTCGGTGCGGATGGCCAGCTCCGGGATGACCCGCCGGGACCCGCT $\tt CGCAAATAAGGTGGCCCTGGTAACGGCCTCCACCGACGGGATCGGCTTCGCCATCGCCCGGC$ GTTTGGCCCAGGACGGGCCCATGTGGTCGTCAGCAGCCGGAAGCAGCAGAATGTGGACCAG GCGGTGGCCACGCTGCAGGGGGGGGGGCTGAGCGTGACGGGCACCGTGTGCCATGTGGGGAA GGCGGAGGACCGGCTGGTGGCCACGGCTGTGAAGCTTCATGGAGGTATCGATATCC TAGTCTCCAATGCTGTCAACCCTTTCTTTGGAAGCATAATGGATGTCACTGAGGAGGTG TGGGACAAGACTCTGGACATTAATGTGAAGGCCCCAGCCCTGATGACAAAGGCAGTGGTGCC AGAAATGGAGAAACGAGGGGGGCTCAGTGGTGATCGTGTCTTCCATAGCAGCCTTCAGTC CATCTCCTGGCTTCAGTCCTTACAATGTCAGTAAAACAGCCTTGCTGGGCCTGACCAAGACC CTGGCCATAGAGCTGGCCCCAAGGAACATTAGGGTGAACTGCCTAGCACCTGGACTTATCAA TGCGGATAAGAAGGTTAGGCGAGCCAGAGGATTGTGCTGCTGTGTCTTTCCTGTGCTCT $C\underline{TGA}$ GGACCGGGAGACAGCCCACAGGCCAGAGTTGGGCTCTAGCTCCTGGTGCTGCTGC ATTCACCCACTGGCCTTTCCCACCTCTGCTCACCTTACTGTTCACCTCATCAAATCAGTTCT GCCCTGTGAAAAGATCCAGCCTTCCCTGCCGTCAAGGTGGCGTCTTACTCGGGATTCCTGCT GTTGTTGTGGCCTTGGGTAAAGGCCTCCCCTGAGAACACAGGACAGGCCTGCTGACAAGGCT GAGTCTACCTTGGCAAAGACCAAGATATTTTTTCCTGGGCCACTGGTGAATCTGAGGGGTGA TGGGAGAGGAACCTGGAGTGGAAGGAGCAGAGTTGCAAATTAACAGCTTGCAAATGAGG



></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA35672</pre>

><subunit 1 of 1, 278 aa, 1 stop

><MW: 29537, pI: 8.97, NX(S/T): 1

MHKAGLLGLCARAWNSVRMASSGMTRRDPLANKVALVTASTDGIGFAIARRLAQDGAHVVVS
SRKQQNVDQAVATLQGEGLSVTGTVCHVGKAEDRERLVATAVKLHGGIDILVSNAAVNPFFG
SIMDVTEEVWDKTLDINVKAPALMTKAVVPEMEKRGGGSVVIVSSIAAFSPSPGFSPYNVSK
TALLGLTKTLAIELAPRNIRVNCLAPGLIKTSFSRMLWMDKEKEESMKETLRIRRLGEPEDC
AGIVSFLCSEDASYITGETVVVGGGTPSRL

Important features of the protein:

Signal peptide:

amino acids 1-15

N-glycosylation site.

amino acids 183-186

N-myristoylation sites.

amino acids 43-48, 80-85, 191-196, 213-218, 272-277

Microbodies C-terminal targeting signal.

amino acids 276-278





GCGCCTGAGCTCCGCCTCCGGGCCCGATAGCGGCATCGAGAGCGCCTCCGTCGAGGACCAGGCGCG CAGGGGGCCGGCGGAAAGGAGGATGAGGGGGCGCAGCAGCTGCTGACCCTGCAGAACCAGGTGGC ${\tt GCGGCTGGAGGAGGAGACCGAGACTTTCTGGCTGCGCTGGAGGACGCC} {\tt ATG}{\tt GAGCAGTACAAACTGC}$ AGAGCGACCGGCTGCGTGAGCAGCAGGAGGAGATGGTGGAACTGCGGCTGCGGTTAGAGCTGGTGCGG ${\tt AAGTTGGCTCTGAGCAGAGGGGAGAGCAGGTGACAAATGGCAGGGAGGCTGAGTTGCTGACT}$ GAGGTGAACAGGCTGGGAAGTGGCTCTTCAGCTGCTTCAGAGGAGGAAGAGGAGGAGGAGGAGCCGCC GGAGTCTGCCAGAGAGGAGGGCCCAGAGCTTTGCCTTGAGGAGTTGGATGCAGCCATTCCAGGGTCC AGAGCAGTTGGTGGGAGCAAGGCCCGAGTTCAGGCCCGCCAGGTCCCCCCTGCCACAGCCTCAGAGTG GCGGCTGGCCCAGGCCAGCAGAAGATCCGGGAGCTGGCTATCAACATCCGCATGAAGGAGGAGCTTA GAGCTGGAGCAGGAGCAGGTGCGGGCCGAGCTGAGTGAAGGCCAGAGGCAGCTGCGGGAGCT GCCCAGAGTGAGAAGCGACTGCAGGAGCTCGAGCGGAACGTGCAGCTCATGCGGCAGCAGCAGGAACA GCTGCAGAGGCGGCTTCGCGAGGAGACGGAGCAGAAGCGGCGCCTGGAGGCAGAAATGAGCAAGCGGC GAGATCGCGGCCTTCCAGAGGAAGAGGCGCAGTGGCAGCAACGGCTCTGTGGTCAGCCTGGAACAGCA GCAGAAGATTGAGGAGCAGAAGAAGTGGCTGGACCAGGAGATGGAGAAGGTGCTACAGCAGCGGCGG AGTGTCCAGCCGGCTGGAGCACCTGGAGAAGGAGCTGTCCGAGAAGAGCGGGCAGCTGCGGCAGGGCA GCGCCCAGAGCCAGCAGCAGATCCGCGGGGAGATCGACAGCCTGCGCCAGGAGAAGGACTCGCTGCTC GCTGTTCCAGTTGGATGAGGCCATCGAGGCCCTGGATGCTGCCATTGAGTATAAGAATGAGGCCATCA CATGCCGCCAGCGGGTGCTTCGGGCCTCAGCCTCGTTGCTGTCCCAGTGCGAGATGAACCTCATGGCC AAGCTCAGCTACCTCTCATCCTCAGAGACCAGAGCCCTCCTCTGCAAGTATTTTGACAAGGTGGTGAC GCTCCGAGAGGAGCAGCACCAGCAGCAGATTGCCTTCTCGGAACTGGAGATGCAGCTGGAGGAGCAGC ${\tt AGAGGCTGGTGTACTGGCTGGAGGTGGCCCTGGAGCGCCTGGAGATGGACCGCCAGCTGACCC}$ ${\tt AGGGTTAGCAGACAGCAGGAGGCAGTATGAGGCCCGGATTCAAGCTCTGGAGAAGGAACTGGGCCGTT}$ GGGGAGAAGAGGGCCTGTGCTCGGAGGGCAGACAGGCTCCTGGAAATGAAGATGAGCTCCACCTGGC ACCCGAGCTTCTCTGGCTGTCCCCCTCACTGAGGGGGCCCCCCGCACCCGGGAGGAGACGCGGGACT TGGTCCACGCTCCGTTACCCTTGACCTGGAAACGCTCGAGCCTGTGTGGTGAGGAGCAGGGGTCCCCC GAGGAACTGAGGCAGCGGGAGGCGGCTGAGCCCCTGGTGGGGCGGGTGCTTCCTGTGGGTGAGGCAGG ${\tt TTGATGTCCGGAAAAACCCCCTG} \underline{{\tt TAA}}{\tt GCCCTCGGGGCAGACCCTGCCTTGGAGGGAGACTCCGAGCCT}$ GCTGAAAGGGCAGCTGCCTGTTTTGCTTCTGTGAAGGGCAGTCCTTACCGCACACCCTAAATCCAGG ${\tt CCCTCATCTGTACCCTCACTGGGATCAACAAATTTGGGCCCAAAAGAACTGGACCCTCATTT}$ AACAAAATAATATGCAAATTCCCACCACTTACTTCCATGAAGCTGTGGTACCCAATTGCCGCCTTGTG

</usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA47465</pre>

<subunit 1 of 1, 830 aa, 1 stop

<MW: 95029, pI: 8.26, NX(S/T): 2

MEQYKLQSDRLREQQEEMVELRLRLELVRPGWGGLRLLNGLPPGSFVPRPHTAPLGGAHAHV
LGMVPPACLPGDEVGSEQRGEQVTNGREAGAELLTEVNRLGSGSSAASEEEEEEEEPPRRTL
HLRRNRISNCSQRAGARPGSLPERKGPELCLEELDAAIPGSRAVGGSKARVQARQVPPATAS
EWRLAQAQQKIRELAINIRMKEELIGELVRTGKAAQALNRQHSQRIRELEQEAEQVRAELSE
GQRQLRELEGKELQDAGERSRLQEFRRRVAAAQSQVQVLKEKKQATERLVSLSAQSEKRLQE
LERNVQLMRQQQGQLQRRLREETEQKRRLEAEMSKRQHRVKELELKHEQQQKILKIKTEEIA
AFQRKRRSGSNGSVVSLEQQQKIEEQKKWLDQEMEKVLQQRRALEELGEELHKREAILAKKE
ALMQEKTGLESKRLRSSQALNEDIVRVSSRLEHLEKELSEKSGQLRQGSAQSQQQIRGEIDS
LRQEKDSLLKQRLEIDGKLRQGSLLSPEEERTLFQLDEAIEALDAAIEYKNEAITCRQRVLR
ASASLLSQCEMNLMAKLSYLSSSETRALLCKYFDKVVTLREEQHQQQIAFSELEMQLEEQQR
LVYWLEVALERQRLEMDRQLTLQQKEHEQNMQLLLQQSRDHLGEGLADSRRQYEARIQALEK
ELGRYMWINQELKQKLGGVNAVGHSRGGEKRSLCSEGRQAPGNEDELHLAPELLWLSPLTEG
APRTREETRDLVHAPLPLTWKRSSLCGEEQGSPEELRQREAAEPLVGRVLPVGEAGLPWNFG
PLSKPRRELRRASPGMIDVRKNPL

Important features:

Leucine zipper pattern.

amino acids 557-579, 794-815

N-glycosylation sites.

amino acids 133-136, 383-386

Kinesin related protein Kif-4 Coiled-coil domain:

amino acids 231-672

ATTCTCCTAGAGCATCTTTGGAAGCATGAGGCCACGATGCTGCATCTTGGCTCTTGTCTGCT
GGATAACAGTCTTCCTCCTCCAGTGTTCAAAAGGAACTACAGACGCTCCTGTTGGCTCAGGA
CTGTGGCTGTGCCAGCCGACACCCAGGTGTGGGAACAAGATCTACAACCCTTCAGAGCAGTG
CTGTTATGATGATGATGCCATCTTATCCTTAAAGGAGACCCGCCGCTGTGGCTCCACCTGCACCT
TCTGGCCCTGCTTTGAGCTCTGCTGTCCCGAGTCTTTTTGGCCCCCAGCAGAAGTTTCTTGTG
AAGTTGAGGGTTCTGGGTATGAAGTCTCAGTGTCACTTATCTCCCATCTCCCGGAGCTGTAC
CAGGAACAGGAGGCACGTCCTGTACCCATAAAAAACCCCAGGCTCCACTGGCAGACGAAGCA
AAGGGGAGAAGAGAGCAGCTGGACATCGGAGACTACAGTTGAACTTCGGAGAGAAGCA
ACTTGACTTCAGAGGGATGGCTCAATGACATAGCTTTGGAGAGGAGCCCAGCTGGGGATGGC
CAGACTTCAGGGGAAGAATGCCTTCCTGCTTCATCCCCTTTCCAGCTCCCCTTCCCGCTGAG
AGCCACTTTCATCGGCAATAAAATCCCCCACATTTACCATCT

FIGURE 6

></usr/seqdb2/sst/DNA/Dnaseqs.full/ss.DNA57700
><subunit 1 of 1, 125 aa, 1 stop
><MW: 14198, pI: 9.01, NX(S/T): 1
MRPRCCILALVCWITVFLLQCSKGTTDAPVGSGLWLCQPTPRCGNKIYNPSEQCCYDDAILS
LKETRRCGSTCTFWPCFELCCPESFGPQQKFLVKLRVLGMKSQCHLSPISRSCTRNRRHVLYP</pre>

Important features: Signal sequence amino acids 1-21

N-myristoylation sites. amino acids 33-39, 70-76

TTTCCCTCCGACGCCCACGGCTGCCCAGACATTCCGGCTGCCGGGTCTGGAGAGCTCCCCG AACCCCTCCGCGGAGAGGAGCGAGGCGCCCCAGGGTGGCCCCCGGGGCGCGCTTGGTCTCG GAGAAGCGGGGACGAGGCCGGAGGATGAGCGACTGAGGGCGACGCGGGCACTGACGCGAGTT GGGGCCGCGACTACCGGCAGCTGACAGCGCGATGAGCGACTCCCCAGAGACGCCCTAGCCCG GTGTGCGCCCAGGCGGAGCGCGCAGGTGGGGCTGTTAGTGGTCCGCCCCACGCGGG CGCCCGCTGCGAGCCCGGCGTCCGGCCCCGCGCCTCATGGACGGCGGCTCCCGGCTG ${\tt GCCCGCCGGGACGTGGTAGGGG}$ GTTCCCTCCTGGTCACCTGCTGCCTGATGGTGGCTCTGTGCAGTCCGAGCATCCCGCTGGAG AAGCTGGCCCAGGCACCAGAGCAGCCGGGCCAGGAGAAGCGTGAGCACGCCACTCGGGACGG $\tt CCCGGGGCGGGTGAACGAGCTCGGGCGCCCGGCGAGGGACGAGGGCGGCGGCGGGACT$ GGAAGAGCAAGAGCGGCCGTGGGCTCGCCGGCCGTGAGCCGTGGAGCAAGCTGAAGCAGGCC TGGGTCTCCCAGGGCGGGGGCCCAAGGCCGGGGATCTGCAGGTCCGGCCCCGCGGGGACAC CCCGCAGGCGGAAGCCCTGGCCGCAGCCCCAGGACGCGATTGGCCCGGAACTCGCGCCCA CGCCCGAGCCACCCGAGGAGTACGTGTACCCGGACTACCGTGGCAAGGGCTGCGTGGACGAG AGCGGCTTCGTGTACGCGATCGGGGAGAAGTTCGCGCCGGGCCCCTCGGCCTGCCCGTGCCT GTGCACCGAGGGGGGCCGCTGTGCGCGCGCGCGGGTGCCCGAGGCTGCACCCGCGCTGCA TCCACGTCGACACGAGCCAGTGCTGCCCGCAGTGCAAGGAGGAGGAAGAACTACTGCGAGTTC CGGGGCAAGACCTATCAGACTTTGGAGGAGTTCGTGGTGTCTCCATGCGAGAGGTGTCGCTG TGAAGCCAACGGTGAGGTGCTATGCACAGTGTCAGCGTGTCCCCAGACGGAGTGTGTGGACC CTGTGTACGAGCCTGATCAGTGCTGTCCCATCTGCAAAAATGGTCCAAACTGCTTTGCAGAA ACCGCGGTGATCCCTGCTGGCAGAGAGTGAAGACTGACGAGTGCACCATATGCCACTGTAC TTATGAGGAAGGCACATGGAGAATCGAGCGGCAGGCCATGTGCACGAGACATGAATGCAGGC AAATG**TAG**ACGCTTCCCAGAACACAAACTCTGACTTTTTCTAGAACATTTTACTGATGTGAA CATTCTAGATGACTCTGGGAACTATCAGTCAAAGAAGACTTTTGATGAGGAATAATGGAAAA TTGTTGGTACTTTTCTTTGATAACAGTTACTACAACAGAAGGAAATGGATATATTTC TAAGTACACAAAAGTACACTATTATATATCAAATGTATTTCTATAATCCCTCCATTAGAGAG CTTATATAAGTGTTTTCTATAGATGCAGATTAAAAATGCTGTGTTGTCAACCGTCAAAAAAA AAAAAAAAAAAAAAAA



></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA68818</pre>

><subunit 1 of 1, 325 aa, 1 stop

><MW: 35296, pI: 5.37, NX(S/T): 0

MPSSTAMAVGALSSSLLVTCCLMVALCSPSIPLEKLAQAPEQPGQEKREHATRDGPGRVNEL GRPARDEGGSGRDWKSKSGRGLAGREPWSKLKQAWVSQGGGAKAGDLQVRPRGDTPQAEALA AAAQDAIGPELAPTPEPPEEYVYPDYRGKGCVDESGFVYAIGEKFAPGPSACPCLCTEEGPL CAQPECPRLHPRCIHVDTSQCCPQCKERKNYCEFRGKTYQTLEEFVVSPCERCRCEANGEVL CTVSACPQTECVDPVYEPDQCCPICKNGPNCFAETAVIPAGREVKTDECTICHCTYEEGTWR IERQAMCTRHECRQM

Important features of the protein:

Signal peptide:

amino acids 1-27

Transmembrane domain:

amino acids 11-30

Glycosaminoglycan attachment site.

amino acids 80-83

N-myristoylation sites.

amino acids 10-15, 102-107, 103-108

Cell attachment sequence.

amino acids 114-117

EGF-like domain cysteine pattern signature.

amino acids 176-187

 ${\tt CAGCCACAGACGGGTC{\color{blue} {\bf ATG}}{AGCGCGGTATTACTGCTGGCCCTCCTGGGGTTCATCCTCCCAC}}$ TGCCAGGAGTGCAGGCGCTGCTCTGCCAGTTTGGGACAGTTCAGCATGTGTGGAAGGTGTCC GACCTACCCCGGCAATGGACCCCTAAGAACACCAGCTGCGACAGCGGCTTGGGGTGCCAGGA CACGTTGATGCTCATTGAGAGCGGACCCCAAGTGAGCCTGGTGCTCTCCAAGGGCTGCACGG AGGCCAAGGACCAGGAGCCCCGCGTCACTGAGCACCGGATGGGCCCCCGGCCTCTCCCTGATC TTGGGCCCCACAGCCCCCAGCAGACCCAGGATCCTTGAGGTGCCCAGTCTGCTTGTCTATGG AAGGCTGTCTGGAGGGGACAACAGAAGAGATCTGCCCCAAGGGGACCACACACTGTTATGAT CCAGCCAGGTTGCAACCTGCTCAATGGGACACAGGAAATTGGGCCCGTGGGTATGACTGAGA ACTGCAATAGGAAAGATTTTCTGACCTGTCATCGGGGGACCACCATTATGACACACGGAAAC TTGGCTCAAGAACCCACTGATTGGACCACATCGAATACCGAGATGTGCGAGGTGGGGCAGGT GTGTCAGGAGACGCTGCTGCTCATAGATGTAGGACTCACATCAACCCTGGTGGGGACAAAAG GCTGCAGCACTGTTGGGGCTCAAAATTCCCAGAAGACCACCATCCACTCAGCCCCTCCTGGG GTGCTTGTGGCCTCCTATACCCACTTCTGCTCCTCGGACCTGTGCAATAGTGCCAGCAGCAG CAGCGTTCTGCTGAACTCCCTCCTCCAAGCTGCCCCTGTCCCAGGAGACCGGCAGTGTC CTACCTGTGTGCAGCCCCTTGGAACCTGTTCAAGTGGCTCCCCCGAATGACCTGCCCCAGG GGCGCCACTCATTGTTATGATGGGTACATTCATCTCTCAGGAGGTGGGCTGTCCACCAAAAT GAGCATTCAGGGCTGCGTGGCCCAACCTTCCAGCTTCTTGTTGAACCACACCAGACAAATCG GGGGCTGAGGCCTGGAGTCTCTCACTTGGGGGGTGGGGCTGGCACTGGCCCCAGCGCTGTG $\tt GTGGGGAGTGGTTTGCCCTTCCTGC\underline{TAA}CTCTATTACCCCCACGATTCTTCACCGCTGCTGA$ CCACCCACACTCAACCTCCTCTGACCTCATAACCTAATGGCCTTGGACACCAGATTCTTTC ACACTGGGGAGAGCCTGGAGCATCCGGACTTGCCCTATGGGAGAGGGGACGCTGGAGGAGTG GCTGCATGTATCTGATAATACAGACCCTGTCCTTTCA



></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA59847</pre>

><subunit 1 of 1, 437 aa, 1 stop

><MW: 46363, pI: 6.22, NX(S/T): 3

MSAVLLLALLGFILPLPGVQALLCQFGTVQHVWKVSDLPRQWTPKNTSCDSGLGCQDTLMLI
ESGPQVSLVLSKGCTEAKDQEPRVTEHRMGPGLSLISYTFVCRQEDFCNNLVNSLPLWAPQP
PADPGSLRCPVCLSMEGCLEGTTEEICPKGTTHCYDGLLRLRGGGIFSNLRVQGCMPQPGCN
LLNGTQEIGPVGMTENCNRKDFLTCHRGTTIMTHGNLAQEPTDWTTSNTEMCEVGQVCQETL
LLIDVGLTSTLVGTKGCSTVGAQNSQKTTIHSAPPGVLVASYTHFCSSDLCNSASSSSVLLN
SLPPQAAPVPGDRQCPTCVQPLGTCSSGSPRMTCPRGATHCYDGYIHLSGGGLSTKMSIQGC
VAQPSSFLLNHTRQIGIFSAREKRDVQPPASQHEGGGAEGLESLTWGVGLALAPALWWGVVCPSC

Important features of the protein:

Signal peptide:

amino acids 1-15

Transmembrane domain:

amino acids 243-260

N-glycosylation sites.

amino acids 46-49, 189-192, 382-385

Glycosaminoglycan attachment sites.

amino acids 51-54, 359-362

N-myristoylation sites.

amino acids 54-59, 75-80, 141-146, 154-159, 168-173, 169-174, 198-203, 254-259, 261-266, 269-274, 284-289, 333-338, 347-352, 360-365, 361-366, 388-393, 408-413, 419-424

 $\texttt{CGACG} \underline{\textbf{ATG}} \texttt{CTACGCGCCCCGGCTGCCTCCTCCGGACCTCCGTAGCGCCTGCCGCGCCCTG}$ GCTGCGGCGCTCTCTCGTCGCTCGCTCTCTTCTAGAGCCGAGGGACCCGGTGGC CTCGTCGCTCAGCCCCTATTTCGGCACCAAGACTCGCTACGAGGATGTCAACCCCGTGCTAT TGTCGGGCCCCGAGGCTCCGTGGCGGGACCCTGAGCTGCTGGAGGGGACCTGCACCCCGGTG CAGCTGGTCGCCCTCATTCGCCACGGCACCCGCTACCCCACGGTCAAACAGATCCGCAAGCT GAGGCAGCTGCACGGGTTGCTGCAGGCCCGCGGGTCCAGGGATGGCGGGGCTAGTACTACCG GGGCAGCTAGTAGAGAAGGGACGGCAGGATATGCGACAGCTGGCGTCTGGCCTCGCT CTTCCCGGCCCTTTTCAGCCGTGAGAACTACGGCCGCCTGCGGCTCATCACCAGTTCCAAGC ACCGCTGCATGGATAGCAGCGCCGCCTTCCTGCAGGGGCTGTGGCAGCACTACCACCCTGGC TTGCCGCCGCCGGACGTCGCAGATATGGAGTTTGGACCTCCAACAGTTAATGATAAACTAAT GAGATTTTTTGATCACTGTGAGAAGTTTTTTAACTGAAGTAGAAAAAAATGCTACAGCTCTTT ATCACGTGGAAGCCTTCAAAACTGGACCAGAAATGCAGAACATTTTAAAAAAAGTTGCAGCT ACTTTGCAAGTGCCAGTAAATGATTTAAATGCAGATTTAATTCAAGTAGCCTTTTTCACCTG TTCATTTGACCTGGCAATTAAAGGTGTTAAATCTCCTTGGTGTGATGTTTTTGACATAGATG ATGCAAAGGTATTAGAATATTTAAATGATCTGAAACAATATTGGAAAAGAGGATATGGGTAT ACTATTAACAGTCGATCCAGCTGCACCTTGTTTCAGGATATCTTTCAGCACTTGGACAAAGC AGTTGAACAGAAACAAAGGTCTCAGCCAATTTCTTCTCCAGTCATCCTCCAGTTTTGGTCATG CAGAGACTCTTCTCCACTGCTTTCTCTCATGGGCTACTTCAAAGACAAGGAACCCCTAACA GCGTACAATTACAAAAACAAATGCATCGGAAGTTCCGAAGTGGTCTCATTGTACCTTATGC CTCGAACCTGATATTTGTGCTTTACCACTGTGAAAATGCTAAGACTCCTAAAGAACAATTCC GAGTGCAGATGTTATTAAATGAAAAGGTGTTACCTTTGGCTTACTCACAAGAAACTGTTTCA TTTTATGAAGATCTGAAGAACCACTACAAGGACATCCTTCAGAGTTGTCAAACCAGTGAAGA ATGTGAATTAGCAAGGGCTAACAGTACATCTGATGAACTA**TGA**GTAACTGAAGAACATTTTT ACAGGAAGCTTTTATATTACTTGAGTATTTCTGTCTTTTCACAGAAAAACATTGGGTTTCTC TCTGGGTTTGGACATGAAATGTAAGAAAAGATTTTTCACTGGAGCAGCTCTCTTAAGGAGAA ACAAATCTATTTAGAGAAACAGCTGGCCCTGCAAATGTTTACAGAAATGAAATTCTTCCTAC TTATATAAGAAATCTCACACTGAGATAGAATTGTGATTTCATAATAACACTTGAAAAGTGCT AGATTGTTCTGCAGTTCTCTCTTTTTCCTCAGGTAGGACAGCTCTAGCATTTTCTTAATC AGGAATATTGTGGTAAGCTGGGAGTATCACTCTGGAAGAAAGTAACATCTCCAGATGAGAAT TTGAAACAAGAACAGAGTGTTGTAAAAGGACACCTTCACTGAAGCAAGTCGGAAAGTACAA TGAAAATAATTTTTTGGTATTTATTTATGAAATATTTGAACATTTTTTCAATAATTCCTT TTTACTTCTAGGAAGTCTCAAAAGACCATCTTAAATTATTATATGTTTGGACAATTAGCAAC AAGTCAGATAGTTAGAATCGAAGTTTTTCAAATCCATTGCTTAGCTAACTTTTTCATTCTGT CACTTGGCTTCGATTTTTATATTTTCCTATTATATGAAATGTATCTTTTGGTTGTTTGATTT TTCTTTCTTTGTAAATAGTTCTGAGTTCTGTCAAATGCCGTGAAAGTATTTGCTATAA TAAAGAAAATTCTTGTGACTTTAAAAAAAAA



></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA76400</pre>

><subunit 1 of 1, 487 aa, 1 stop

><MW: 55051, pI: 8.14, NX(S/T): 2

MLRAPGCLLRTSVAPAAALAAALLSSLARCSLLEPRDPVASSLSPYFGTKTRYEDVNPVLLS
GPEAPWRDPELLEGTCTPVQLVALIRHGTRYPTVKQIRKLRQLHGLLQARGSRDGGASSTGS
RDLGAALADWPLWYADWMDGQLVEKGRQDMRQLALRLASLFPALFSRENYGRLRLITSSKHR
CMDSSAAFLQGLWQHYHPGLPPPDVADMEFGPPTVNDKLMRFFDHCEKFLTEVEKNATALYH
VEAFKTGPEMQNILKKVAATLQVPVNDLNADLIQVAFFTCSFDLAIKGVKSPWCDVFDIDDA
KVLEYLNDLKQYWKRGYGYTINSRSSCTLFQDIFQHLDKAVEQKQRSQPISSPVILQFGHAE
TLLPLLSLMGYFKDKEPLTAYNYKKQMHRKFRSGLIVPYASNLIFVLYHCENAKTPKEQFRV
OMLLNEKVLPLAYSQETVSFYEDLKNHYKDILQSCQTSEECELARANSTSDEL

Important features:

Signal sequence

amino acids 1-30

N-glycosylation sites.

amino acids 242-246, 481-485

N-myristoylation sites.

amino acids 107-113, 113-119, 117-123, 118-124, 128-134

Endoplasmic reticulum targeting sequence.

amino acids 484-489

 ${\tt GGGACTACAAGCCGCGCGCGCGCTGCCGCTGGCCCCTCAGCAACCCTCGAC}$ TCCGGCTCTGCGCTGCCTGACTTCTTCCTGCTGCTTTTTCAGGGGCTGCCTGATAGGGGCTGTAAATC ${\tt TCAAATCCAGCAATCGAACCCCAGTGGTACAGGAATTTGAAAGTGTGGAACTGTCTTGCATCATTACGGATTCGC}$ AGACAAGTGACCCCAGGATCGAGTGGAAGAAAATTCAAGATGAACAAACCACATATGTGTTTTTTGACAACAAAA TTCAGGGAGACTTGGCGGGTCGTGCAGAAATACTGGGGAAGACATCCCTGAAGATCTGGAATGTGACACGGAGAG ${\tt ACTCAGCCCTTTATCGCTGTGAGGTCGTTGCTCGAAATGACCGCAAGGAAATTGATGAGATTGTGATCGAGTTAA}$ $\tt CTGTGCAAGTGAAGCCAGTGACCCCTGTCTGTAGAGTGCCGAAGGCTGTACCAGTAGGCAAGATGGCAACACTGCCAGTGCCAAGATGGCAAGATGGCAACACTGCCAGTGCCAAGATGGCAAGATGGCAACACTGCCAGTGCCAAGATGGCAAGATGGCAACACTGCCAGTGCCAAGATGGCAAGATGGCAACACTGCCAGTGCCAAGATGGCAAGATGGCAACACTGCCAAGATGGCAAGATGGCAAGATGGCAACACTGCCAGTGCCAAGATGGCAAGATGGCAACACTGCCAGTGCCAAGATGGCAAGATGGCAACACTGCCAGTAGGCAAGATGGCAACACTGCCAGTGCCAAGATGGCAAGATGGCAACACTGCCAGTAGGCAAGATGGCAACACTGCCAGTGCCAAGATGGCAAGATGGCAACACTGCCAGTAGAGTGCCAAGATGGCAACACTGCCAGTAGGCAAGATGGCAACACTGCCAGTAGAGTGCCAAGATGGCAACACTGCCAGTAGAGATGGCAAGATGGCAACACTGCCAGTAGAGATGGCAAGATGGCAACACTGCCAGTAGAGATGGCAACACTGCCAGTAGAGATGGCAAGATGGCAACACTGCCAGTAGAGATGGCAACACTGCCAGTAGAGATGGCAACACTGCCAGTAGAGATGGCAACACTGCCAGTAGAGATGGCAACACTGCCAGTAGAGATGGCAACACACTGCCAGTAGAGATGGCAACACACTGCCAGTAGAGATGGCAACACACTGCAAGATGAGAGATGAGATGAGATGAGATGAGATGAGATGAGATGAGAGATGAGATGAGATGAGATGAGATGAGATGAGATGAGATGAGATGAGATGAATGAGATGAATGAGATGAGATGAATGAATGAATGAATGAATGAGAATGAA$ ACTGCCAGGAGAGTGAGGGCCACCCCGGCCTCACTACAGCTGGTATCGCAATGATGTACCACTGCCCACGGATT CCAGAGCCAATCCCAGATTTCGCAATTCTTCTTTCCACTTAAACTCTGAAACAGGCACTTTGGTGTTCACTGCTG TTCACAAGGACGACTCTGGGCAGTACTACTGCATTGCTTCCAATGACGCAGGCTCAGCCAGGTGTGAGGAGCAGG TCACGTTGGGCATCTGCTGTGCATACAGACGTGGCTACTTCATCAACAATAAACAGGATGGAGAAAGTTACAAGA ${\tt TGATC} \underline{{\tt TGA}} {\tt GACCCGCGGTGTGGCTGAGAGCGCACAGAGCGCACGTGCACATACCTCTGCTAGAAACTCCTGTCAA}$ GGCAGCGAGAGCTGATGCACTCGGACAGAGCTAGACACTCATTCAGAAGCTTTTCGTTTTGGCCAAAGTTGACCA GGAAGCGAAACTGGGTGCGTTCACTGAGTTGGGTTCCTAATCTGTTTCTGGCCTGATTCCCGCATGAGTATTAGG GTGATCTTAAAGAGTTTGCTCACGTAAACGCCCGTGCTGGGCCCTGTGAAGCCAGCATGTTCACCACTGGTCGTT CAGCAGCCACGACAGCACCATGTGAGATGGCGAGGTGGCTGGACAGCACCAGCAGCGCATCCCGGCGGGAACCCA GAAAAGGCTTCTTACACAGCAGCCTTACTTCATCGGCCCACAGACACCACCGCAGTTTCTTCTTAAAGGCTCTGC TGATCGGTGTTGCAGTGTCCATTGTGGAGAAGCTTTTTGGATCAGCATTTTGTAAAAACAACCAAAATCAGGAAG GTAAATTGGTTGCTGGAAGAGGGATCTTGCCTGAGGAACCCTGCTTGTCCAACAGGGTGTCAGGATTTAAGGAAA ${ t ACCTTCGTCTTAGGCTAAGTCTGAAATGGTACTGAAATATGCTTTTCTATGGGTCTTGTTTATTTTATAAAATTT$ TACATCTAAATTTTTGCTAAGGATGTATTTTGATTATTGAAAAGAAAATTTCTATTTAAACTGTAAATATATTGT CATACAATGTTAAATAACCTATTTTTTAAAAAAGTTCAACTTAAGGTAGAAGTTCCAAGCTACTAGTGTTAAAT TGGAAAATATCAATAATTAAGAGTATTTTACCCAAGGAATCCTCTCATGGAAGTTTACTGTGATGTTCCTTTTCT CACACAAGTTTTAGCCTTTTTCACAAGGGAACTCATACTGTCTACACATCAGACCATAGTTGCTTAGGAAACCTT TAAAAATTCCAGTTAAGCAATGTTGAAATCAGTTTGCATCTCTTCAAAAGAAACCTCTCAGGTTAGCTTTGAACT TCTCAGGTGGGCACTGCAGGGACACTGGTGTCTTCCATGTAGCGTCCCAGCTTTGGGCTCCTGTAACAGACCTCT AAGATTGTCTAAGGCCAAAGGCAATTGCGAAATCAAGTCTGTCAAGTACAATAACATTTTTAAAAGAAAATGGAT GGAGTGGCGGCCAGTCCAGCCTTTTAAAGAACGTCAGGTGGAGCAGCCAGGTGAAAGGCCTGGCGGGGAGGAAAG TGAAACGCCTGAATCAAAAGCAGTTTTCTAATTTTGACTTTAAATTTTTCATCCGCCGGAGACACTGCTCCCATT TGTGGGGGGACATTAGCAACATCACTCAGAAGCCTGTGTTCTTCAAGAGCAGGTGTTCTCAGCCTCACATGCCCT GCCGTGCTGGACTCAGGACTGAAGTGCTGTAAAGCAAGGAGCTGCTGAGAAGGAGCACTCCACTGTGTGCCTGGA AATTGCATACATGAGACTGTTGACTTTTTTTAGTTATGTGAAACACTTTGCCGCAGGCCGCCTGGCAGAGGCA TCTTGGTTGTCATAGTGATAGGGTAGCCTTATTGCCCCCCTCTTCTTATACCCTAAAACCTTCTACACTAGTGCCA TGGGAACCAGGTCTGAAAAAGTAGAGAGAGTGAAAGTAGAGTCTGGGAAGTAGCTGCCTATAACTGAGACTAGA CGGAAAAGGAATACTCGTGTATTTTAAGATATGAATGTGACTCAAGACTCGAGGCCGATACGAGGCTGTGATTCT GCCTTTGGATGGATGTTGCTGTACACAGATGCTACAGACTTGTACTAACACACCCGTAATTTGGCATTTGTTTAAC CTCATTTATAAAAGCTTCAAAAAAACCCA

></usr/segdb2/sst/DNA/Dnaseqs.min/ss.DNA77624

><subunit 1 of 1, 310 aa, 1 stop

><MW: 35020, pI: 7.90, NX(S/T): 3

MALRRPPRLRLCARLPDFFLLLLFRGCLIGAVNLKSSNRTPVVQEFESVELSCIITDSQTSD
PRIEWKKIQDEQTTYVFFDNKIQGDLAGRAEILGKTSLKIWNVTRRDSALYRCEVVARNDRK
EIDEIVIELTVQVKPVTPVCRVPKAVPVGKMATLHCQESEGHPRPHYSWYRNDVPLPTDSRA
NPRFRNSSFHLNSETGTLVFTAVHKDDSGQYYCIASNDAGSARCEEQEMEVYDLNIGGIIGG
VLVVLAVLALITLGICCAYRRGYFINNKQDGESYKNPGKPDGVNYIRTDEEGDFRHKSSFVI

Important features of the protein:

Signal peptide:

amino acids 1-30

Transmembrane domain:

amino acids 243-263

N-glycosylation sites.

amino acids 104-107, 192-195

cAMP- and cGMP-dependent protein kinase phosphorylation site. amino acids 107-110

Casein kinase II phosphorylation site.

amino acids 106-109, 296-299

Tyrosine kinase phosphorylation site.

amino acids 69-77

N-myristoylation sites.

amino acids 26-31, 215-220, 226-231, 243-248, 244-249, 262-267

 ${\tt CAGGACCAGGTCTTCCTACGCTGGAGCAGCGGGGGAGACAGCCACC} \underline{{\tt ATG}} {\tt CACATCCTCGTGGTCCATGCCATGGTG}$ GACCCCCAGACTCTGGAGCAGAACATCATGGACAAGAATTACATGGCCCACCTGGTGGAGGTCCAGCATGAGCGC CCCAAACCAAAGAGCAGCCCAGAGCAGCCCATAGGCCAGGGCCGGATTCGGGTGGGGACCCAGCTCCGGGTGCTG GGCCCTGAGGACGACCTGGCTGGCATGTTCCTCCAGATTTTCCCGCTCAGCCCGGACCCTCGGTGGCAGAGCTCC AGTCCCCGCCCGTGGCCCTCGCCCTGCAGCAGGCCCTGGGCCAGGAGCTGGCCCGCGTCGTCCAGGGCAGCCCC GAGGTGCCGGGCATCACGGTGCGTGTCCTGCAGGCCCTCGCCACCCTGCTCAGCTCCCCACACGGCGGTGCCCTG GTGATGTCCATGCACCGTAGCCACTTCCTGGCCTGCCCGCTGCTGCCCAGCTCTGCCAGTACCAGCGCTGTGTG GTGCGAGGGGGCTCCTGCCCTGGCCGAGGCCCTGGCCTTCCGTCAGGACCTGGAGGTGGTCAGCTCCACCGTC GGGAAGCCGGGTGCGGACGGTGGCAGCCTGGAGGCCGTGCGGCTGGGGCCCTCGTCAGGCCTCCTAGTGGACTGG CTGGAAATGCTGGACCCCGAGGTGGTCAGCAGCTGCCCCGACCTGCAGCTCAGGCTGCTCTTCTCCCGGAGGAAG ACACTGCACCAGTGCATCCGAGTCCTGCTGGGCAAGAGCCGGGAACAGAGGTTCGACCCCTCTGCCTCTCTGGAC GAGCTGGTGCTGCGGGTCCAGGGCCCGGAGCTCATCAGCCTGGTGGAGCTGATCCTGGCCGAGGCGGAGACGCGG AGCCAGGACGGGGACACAGCCGCCTGCAGCCTCATCCAGGCCCGGCTGCCCCTGCTGCTCAGCTGCTGCTGGG GCGGACACCAGCGACTCCCGGGCGTTGGAGAACCGAGGGGCGGATGCCAGCATGGCCTGCCGGAAGCTGGCGGTG GTGTTCCGCAGCGAGCACCAGGGGGCGCTGTGGGACTGCCTTCTGTCCTTCATCCGCCTGCTGCTGAATTACAGG AAGTCCTCCCGCCATCTGGCTGCCTTCATCAACAAGTTTGTGCAGTTCATCCATAAGTACATTACCTACAATGCC CCAGCAGCCATCTCCTTCCTGCAGAAGCACGCCGACCCGCTCCACGACCTGTCCTTCGACAACAGTGACCTGGTG GGCGAGGAGGAGGAGCTCAGCCGGCTCCTTGCCCCTGGTCAGCGTCTCCCTGTTCACCCCTCTGACCGCGGCCGAG GAGATGTCCCGGCGGAGACCCGAGATCCTGAGCTTCTTCTCGACCAACCTGCAGCGGCTGATGAGCTCGGCCGAG GAGTGTTGCCGCAACCTCGCCTTCAGCCTGGCCCTGCGCTCCATGCAGAACAGCCCCAGCATTGCAGCCGCTTTC ${\tt GACCCCAGCGCGCAGATCTCCGAGGCCCTGAGGATCCTGCATATGGAGGCCGTGATG}{\tt TGA}{\tt GCCTGTGGCAGCCGA}$

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA77631

><subunit 1 of 1, 1029 aa, 1 stop

><MW: 114213, pI: 6.42, NX(S/T): 0

MHILVVHAMVILLTLGPPRADDSEFQALLDIWFPEEKPLPTAFLVDTSEEALLLPDWLKLRM IRSEVLRLVDAALQDLEPQQLLLFVQSFGIPVSSMSKLLQFLDQAVAHDPQTLEQNIMDKNY MAHLVEVQHERGASGGQTFHSLLTASLPPRRDSTEAPKPKSSPEQPIGQGRIRVGTQLRVLG PEDDLAGMFLQIFPLSPDPRWQSSSPRPVALALQQALGQELARVVQGSPEVPGITVRVLQAL $\verb|ATLLSSPHGGALVMSMHRSHFLACPLLRQLCQYQRCVPQDTGFSSLFLKVLLQMLQWLDSPG|$ VEGGPLRAQLRMLASQASAGRRLSDVRGGLLRLAEALAFRQDLEVVSSTVRAVIATLRSGEQ CSVEPDLISKVLQGLIEVRSPHLEELLTAFFSATADAASPFPACKPVVVVSSLLLQEEEPLA GGKPGADGGSLEAVRLGPSSGLLVDWLEMLDPEVVSSCPDLQLRLLFSRRKGKGQAQVPSFR PYLLTLFTHQSSWPTLHQCIRVLLGKSREQRFDPSASLDFLWACIHVPRIWQGRDQRTPQKR REELVLRVQGPELISLVELILAEAETRSQDGDTAACSLIQARLPLLLSCCCGDDESVRKVTE HLSGCIQQWGDSVLGRRCRDLLLQLYLQRPELRVPVPEVLLHSEGAASSSVCKLDGLIHRFI TLLADTSDSRALENRGADASMACRKLAVAHPLLLLRHLPMIAALLHGRTHLNFQEFRQQNHL SCFLHVLGLLELLQPHVFRSEHQGALWDCLLSFIRLLLNYRKSSRHLAAFINKFVQFIHKYI TYNAPAAISFLQKHADPLHDLSFDNSDLVMLKSLLAGLSLPSRDDRTDRGLDEEGEEESSAG SLPLVSVSLFTPLTAAEMAPYMKRLSRGQTVEDLLEVLSDIDEMSRRRPEILSFFSTNLQRL MSSAEECCRNLAFSLALRSMQNSPSIAAAFLPTFMYCLGSQDFEVVQTALRNLPEYALLCQE HAAVLLHRAFLVGMYGQMDPSAQISEALRILHMEAVM

Important features:

Signal peptide:

amino acids 1-16

cAMP- and cGMP-dependent protein kinase phosphorylation sites. amino acids 154-158, 331-335, 616-620, 785-789, 891-895

N-myristoylation sites.

amino acids 91-97, 136-142, 224-230, 435-441, 439-445, 443-449, 665-671, 698-704

Amidation sites.

amino acids 329-333, 634-638

AATGGCACCTTCCTGACGCTGCTCTTCTTCTGCCTGTGCGCCTTCCTCTCGCTGTCCTGGTA $\tt CGCGGCACTCAGCGGCCAGAAAGGCGACGTTGTGGACGTTTACCAGCGGGAGTTCCTGGCGC$ TGCGCGATCGGTTGCACGCAGCTGAGCAGGAGCCTCAAGCGCTCCAAGGAGCTCAACCTG TCGCACCTGGGGCCGCCTAACAGAGGACCCCCGATTGAAGCCGTGGAACGGCTCACACCGGC ACGTGCTGCACCTGCCCACCGTCTTCCATCACCTGCCACACCTGCTGGCCAAGGAGCAGT GAGCGTGCGCGCGAGGTGCACTCGTACCTGACTGACACTCTGCACTCGCTCATCTCCGAGC TACACTTCGGCAGTGACAGAGAACATCAAGGCCTTGTTCCCCACGGAGATCCATTCTGGGCT CCTGGAGGTCATCTCACCCTCCCCCCACTTCTACCCTGACTTCTCCCGCCTCCGAGAGTCCT TTGGGGACCCCAAGGAGAGTCAGGTGGAGGACCAAACAGAACCTCGATTACTGCTTCCTC ATGATGTACGCGCAGTCCAAAGGCATCTACTACGTGCAGCTGGAGGATGACATCGTGGCCAA GCCCAACTACCTGAGCACCATGAAGAACTTTGCACTGCAGCAGCCTTCAGAGGACTGGATGA TCCTGGAGTTCTCCCAGCTGGGCTTCATTGGTAAGATGTTCAAGTCGCTGGACCTGAGCCTG ATTGTAGAGTTCATTCTCATGTTCTACCGGGACAAGCCCATCGACTGGCTCCTGGACCATAT TCTGTGGGTGAAAGTCTGCAACCCCGAGAAGGATGCGAAGCACTGTGACCGGCAGAAAGCCA GGCAAGATCCAGAAACTGAAGGACAAAGACTTTGGAAAGCAGGCGCTGCGGAAGGAGCATGT GAACCCGCCAGCAGAGGTGAGCACGAGCCTGAAGACATACCAGCACTTCACCCTGGAGAAAG CCTACCTGCGCGAGGACTTCTTCTGGGCCTTCACCCCTGCCGCGGGGGACTTCATCCGCTTC CGCTTCTTCCAACCTCTAAGACTGGAGCGGTTCTTCTTCCGCAGTGGGAACATCGAGCACCC AGGAGGCCCTGCAGGAGGCCCGCCACCCTCCGGTACCCTCGGAGCCCCGACGGCTAC CTCCAGATCGGCTCCTTCTACAAGGGAGTGGCAGAGGGAGAGGTGGACCCAGCCTTCGGCCC TCTGGAAGCACTGCGCCTCTCGATCCAGACGGACTCCCCTGTGTGGGGTGATTCTGAGCGAGA GCCCACATTTCTGGGGGTGTCGTCACTGCCGTCCCCGGAGGGCCCAGATACGGCCCCCCCAA ${\tt AGGGTTCTGCCTGGGGTCGGGCCTGGGCCTGGGCCCGGAGGCCCTA}$ TGAGGCCCGGAACCGTTCGCACCCGGCCTGCCCCAGTCAGGCCGTTTTAGAAGAGCTTTTAC TTGGGCGCCCGCCGTCTCTGGCGCGAACACTGGAATGCATATACTACTTTATGTGCTGTTT TTTTATTCTTGGATACATTTGATTTTTTCACGTAAGTCCACATATACTTCTATAAGAGCGTG AAAAAAAAAAAA

></usr/seqdb2/sst/DNA/Dnaseqs.min/ss.DNA82307</pre>

><subunit 1 of 1, 548 aa, 1 stop

><MW: 63198, pI: 8.10, NX(S/T): 4

MRLRNGTFLTLLLFCLCAFLSLSWYAALSGQKGDVVDVYQREFLALRDRLHAAEQESLKRSK
ELNLVLDEIKRAVSERQALRDGDGNRTWGRLTEDPRLKPWNGSHRHVLHLPTVFHHLPHLLA
KESSLQPAVRVGQGRTGVSVVMGIPSVRREVHSYLTDTLHSLISELSPQEKEDSVIVVLIAE
TDSQYTSAVTENIKALFPTEIHSGLLEVISPSPHFYPDFSRLRESFGDPKERVRWRTKQNLD
YCFLMMYAQSKGIYYVQLEDDIVAKPNYLSTMKNFALQQPSEDWMILEFSQLGFIGKMFKSL
DLSLIVEFILMFYRDKPIDWLLDHILWVKVCNPEKDAKHCDRQKANLRIRFKPSLFQHVGTH
SSLAGKIQKLKDKDFGKQALRKEHVNPPAEVSTSLKTYQHFTLEKAYLREDFFWAFTPAAGD
FIRFRFFQPLRLERFFFRSGNIEHPEDKLFNTSVEVLPFDNPQSDKEALQEGRTATLRYPRS
PDGYLQIGSFYKGVAEGEVDPAFGPLEALRLSIQTDSPVWVILSEIFLKKAD

Important features:

Signal sequence

amino acids 1-23

N-glycosylation sites.

amino acids 5-9, 87-91, 103-107, 465-469

N-myristoylation sites.

amino acids 6-12, 136-142, 370-376, 509-515